



# THE KRAKEN PLUS

## SOIL SURFACTANT/WATER CONDITIONER

**THE KRAKEN PLUS** is a premium 30-day preventive advanced multi-polymer/solvent soil surfactant. **THE KRAKEN PLUS** encourages uniform soil wetting, re-wetting and penetration while reducing excessive surface moisture. Recommended for creating and maintaining tournament/game-day conditions.



**REGISTRATION NUMBER: 2018001A FERTILIZERS ACT**

**Guaranteed Minimum Analysis:**

Blend of Alkoxylate Polyols and Polyglycol Ether Ester and Neutralized Carboxylic Acid..... 100%

Specific Gravity: 0.995 kg/L      Net Weight: 9.41 kg

MANUFACTURED FOR:  
RESIDEX LLC, 46495 Humboldt Drive, Novi, MI 48377 USA

IMPORTED BY: RESIDEX CANADA INC.  
666 Burrard Street, Suite 2800, Park Place, Vancouver, BC V6C 2Z7



**CAUTION: KEEP OUT OF REACH OF CHILDREN**

SDS is AVAILABLE.  
RESIDEX LLC, 46495 Humboldt Drive, Novi, MI 48377  
USA  
1-800-521-8873

**DIRECTIONS FOR USE**

THE KRAKEN PLUS Soil Surfactant/Water Conditioner should be applied according to a managed application program.

APPLICATION PROGRAMS	
Use Site	Rate and Application Intervals
Golf Greens / Tees (30-day program)	190 mL/100 m <sup>2</sup> , 30-day interval
Golf Greens / Tees (14-day program)	First Application: 190 mL/100 m <sup>2</sup> Subsequent Applications: 60 - 95 mL/100 m <sup>2</sup> , 14-day interval
Golf Fairways / Athletic Fields	190 mL/100 m <sup>2</sup> every 30 days or as needed
Tennis / Lawn Bowling, Ultra-short cut turf (30 day or biweekly)	First Application: 190 mL/100 m <sup>2</sup> Subsequent Applications: 60 - 95 mL/100 m <sup>2</sup> , 14-day interval

Lot #:

## **DIRECTIONS FOR USE (CONTINUED)**

Shake well before using.

Water in as soon as practical or apply during or shortly before rainfall.

*Caution: unless tank mixing as described below in the TANK MIXING section:*

Do not add to irrigation systems having irregular spray patterns.

Do not mix with other chemicals, especially emulsifiable concentrates.

### **TANK MIXING:**

THE KRAKEN PLUS may be tank mixed with other commonly used turf chemicals and fertilizers at rates not to exceed 190 mL /100 m<sup>2</sup>. If applicator is unfamiliar with the performance of this product in tank mixes under user's growing conditions, THE KRAKEN PLUS should be tested prior to large scale application. The applicator should always exercise judgment and caution when using this and all other turf products. Tank mixing THE KRAKEN PLUS and other products is intended as a matter of convenience; this product is not intended to enhance the performance of other tank mixed components.

### **PRECAUTIONS:**

Harmful if inhaled. Avoid breathing vapors or spray mist.

Avoid contact with skin, eyes, or clothing. Do not apply this product in such a manner as to directly or through drift expose workers or other persons.

Irritating to eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Do not take by mouth. When handling the product, wear goggles or a face shield. For worker protection during mixing, loading and application, wear a hat, long-sleeved shirt, long legged trousers or overalls and PVC gloves.

Do not apply this product to terrain where there is a potential for surface runoff to enter aquatic systems. Avoid overspray or drift to environmentally sensitive habitats such as ponds, wetlands or streams.

### **FIRST AID:**

**IF INHALED:** Move victim to fresh air. Give artificial respiration if needed. Call a physician.

**IF SWALLOWED:** Give a large amount of water to drink and IMMEDIATELY call a physician. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** IMMEDIATELY flush eyes with clean water for at least 15 minutes. Remove contact lenses if present, after the first 5 minutes, then continue to rinsing eye. Call a physician.

IF ON SKIN: Remove contaminated clothing and wash skin with soap and water. Call physician if irritation persists.

**STORAGE AND DISPOSAL:**

Store in original container only. Keep container tightly closed, do not allow water to be introduced into the contents of this container. Do not contaminate water sources by runoff from cleaning of equipment, disposal of equipment wash-waters or spray waste. Do not store near heat or open flame.

KEEP FROM FREEZING.

**CONTAINER DISPOSAL**

Triple-rinse (or equivalent) and add rinsate to spray tank, then offer for recycling or reconditioning, or puncture and dispose of according to provincial and local authorities.

**WARRANTY STATEMENT:**

Residex LLC represents and warrants that its products are manufactured in accordance with the products specification and that its products at the time of delivery to the purchaser, shall be free from all material defects.

NOTICE: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the misuse or incorrect handling of this product and accepts the product on that condition.

Any use not in accordance with the product directions and precautionary statements, or modifications or additives, adulterations, dilutions or alterations by the purchaser shall void this warranty.